

# THE EARLY RHODODENDRON SHOW

## MISSION STATEMENT AND RULES

REVISED 25 APRIL 2017

The Early Show is staged to provide all rhododendron enthusiasts an opportunity to see and display early blooming rhododendron species and hybrids. The Early Show should foster an awareness and appreciation of early bloomers, especially of the species rhododendrons.

# TABLE OF CONTENTS

TROPHY LIST .....	3
SHOW RULES .....	4
A. DEFINITIONS .....	4
B. EXHIBITORS AND ENTRIES .....	4
C. PREPARATION AND STAGING OF ENTRIES.....	5
D. JUDGING .....	5
E. AWARDS:.....	6
SHOW CLASSIFICATION FOR COMPETITION .....	7
CLASSIFICATION OF SPECIES .....	10
CLASSIFICATION OF HYBRIDS .....	20

## TROPHY LIST

Best Azalea

Best Hybrid

Best Novice

Best Species

Best Under Protection

Most Points

# SHOW RULES

## A. Definitions

1. *Truss* A single rachis, *i.e.*, the flowers (corollas) coming from a single bud.
2. *Ball Truss* Multiple buds emerging from a single stem. Acceptable as a truss in alpine/dwarf classes and in the unrestricted branch category (#111).
3. *Spray* Multistems emerging from a single stem. May consist of multiple ball trusses. Maximum length is measured from the top of the container. Maximum width shall be no greater than length.
4. *Clone* Any number of plants with an identical genetic makeup plants vegetatively propagated from a single parent (e.g. by cuttings, tissue culture, grafting, layering...).
5. *Sister Seedling* (Abbreviated as *s.s.* below) Plants from the same cross and parents, but not from the same vegetatively propagated parent.
6. *Parentage* (for hybrid classification):
  - A. At least 50% of the genetic makeup of a plant must belong to a species of the class entered. In cases of undocumented parentage, the exhibitor is responsible for providing the genealogy of the cross. Otherwise the hybrid will be placed in one of the classes based on color (101-109).
  - B. If the two parents of a plant are each a different species, the plant may be entered into either or both hybrid classes.
7. *Artificial protection*: Modification of the growing conditions *beyond what is naturally achievable* in the local growing area. Plants of *Boothii*, *Maddenia*, and *Vireya* species and hybrids may be grown with protection. Any species with a hardiness rating of 1 or 2 in "The Species Rhododendron" from the Royal Horticultural Society (1998) or hybrid

whose 50+% single species parentage is H1 or H2 may be grown with protection. These plants may be exhibited in any class for which they qualify. (See note C1 concerning entry cards).

8. *Novice*: A novice exhibitor is one who has never won a blue ribbon at any American Rhododendron Society Show.

## B. Exhibitors and Entries

1. Exhibits will be accepted from members or non-members, hobbyists or commercial growers, novice exhibitors or previous winners.
2. Entries will be accepted Friday evening between 6:00 P.M. and 8:00 P.M. and Saturday, 7 A.M. to 9:30 A.M. on the day of the show. Judging starts by 10:00 A.M. and will be completed before noon. The show opens to the public at noon and closes at 5:00 P.M.
3. Entries must have been grown in the exhibitor's garden for at least six months prior to the show and must have been cared for primarily by the exhibitor.
4. An exhibitor may enter a truss or spray of a single clone into any class for which it qualifies. Entry of a truss or clone into one class does not preclude the entry of another truss of the same clone into a different class.
5. Any one exhibitor may enter only one truss or spray of a single clone in any one class. Duplicate entries will be disqualified. An exhibitor may enter any number of entries in the same class if they represent different sister seedlings. For instance, one spray of each different form of *R. augustinii* may be entered in class 42h.
6. Entries should be groomed before submission. Bloom preservatives are allowed in the water. Wetting and cleaning

the leaves is permitted, but leaf- and flower-coating compounds are not allowed. Exhibitors are encouraged to remove unsightly duff, such as bud scales, pine needles, and dirt, from leaves and stems.

7. Azaleodendrons may only be entered in the azaleodendron class (#110).
8. A new class may be added by the Show Committee when five or more entries are received that represent distinctive characteristics.
9. Similar classes may be combined into one by the Show Committee when insufficient entries are placed in each class.
10. An individual and partner shall be considered as one exhibitor rather than two separate exhibitors unless they maintain separate gardens and refrain from a commingling of plants or plant-care.
11. Class 100 is for species not classifiable in the classes 1–99, and for hybrids of these species where the parentage of that species is  $\geq 50\%$ .
12. Classes 101–109 are for:
  - A. Hybrids of unknown parentage;
  - B. Hybrids that do not have a genetic contribution of at least 50% from any one species;
  - C. Hybrids not included in any other, better-defined group. If a hybrid qualifies for any other class, it is not eligible for one of these classes.

### C. Preparation and Staging of Entries

1. All entries must have a completed entry card. Exhibitors are strongly encouraged to provide the class number for the entry. Rubber stamps and small envelope stickers may be used to identify the name and address of the exhibitor.
2. An entry grown with artificial protection shall be identified with a letter 'p' written in the upper left-hand corner of the entry card.

3. Each entry must be deposited in a bottle provided at the show. Exhibitors may furnish bloom preservative for their blooms if desired. While cleansing foliage is encouraged, only water may be used for this purpose. The entry and its entry-card shall be presented to the Classification Committee at the show for placement in the proper class or group. Only Stewards of the Classification Committee will place the entries for the show. Exhibitors will not stage their own entries.
4. No one except the Classification and Judging Committees shall have access to the area of the show during staging and judging.
5. The Chapter will take every care for the protection of all flowers, plants, and containers, but it cannot be held responsible for any loss or damage. Exhibitors who wish to reclaim entries must do so immediately after closing of the show.
6. The Rhododendron Handbook, published by the Royal Horticultural Society (1998) and using the Cullen & Chamberlain system, is the basis for all classifications of species.
7. The novice exhibitor may place entries in any appropriate class on an equal basis with any other exhibitor. The novice is also encouraged to place an entry of any truss or spray that would qualify for exhibition in any other class into the special Novice Class (#115).
8. The Classification Committee shall have the power to reassign or disqualify exhibits that infringe on any of the foregoing regulations, and their decision in matters of placement shall be final. In other matters of dispute, the decisions of the Show Committee are final.

### D. Judging

1. Guidelines for judging a cut truss, assigning fraction of total score:
  - Form typical of variety..... 25%

- Size typical of variety.....25%
- Peak condition and grooming, with regard to color, foliage, and substance .....50%

2. Definition of Guideline Terms

- A. Size: The diameter (measurement across) of the individual corolla and number of flowers per truss.
- B. Color: The color should be true to and representative of the variety.
- C. Condition: All blooms should be as near to peak condition as possible to earn a blue ribbon.
- D. Foliage: All leaves should be well shaped, of good color and size, and without blemishes.
- E. Substance: Refers to corollas only and means they should be firm in quality for the variety.
- F. Form: The shape of the truss and its components should be typical of its variety.
- G. Presentation: The stem should hold the truss as straight as possible.

3. Each entry will be judged against all other entries in its group or class by a team of judges. The judges will award First, Second, and Third Place ribbons. Judges are encouraged to award only one blue ribbon in each section. Each entry must meet the approval of the judges, and any place may be withheld. The judges may also award an Honorable Mention when they feel it is appropriate.

4. Judges should consider the degree of

difficulty in growing the entry in deciding between two entries of otherwise equal merit.

**E. Awards:**

1. A trophy will be presented for the Best Hybrid Spray or Truss exhibited in the subgenus Hymenanthes or Rhododendron.
2. A trophy will be presented for the Best Species Spray or Truss of the subgenus Hymenanthes or Rhododendron exhibited.
3. A trophy will be presented for the Best Entry of the Subgenus Pentanthera or Tsutsusi exhibited (class 60-63, 101, 102).
4. A trophy will be presented for the Best Plant Grown with Protection. Entry cards must be marked with a “p” in accordance with section C.2 of the Show Rules.
5. A trophy will be awarded to the member of the Portland Chapter with the highest number of points in the show. Points for this trophy will be assigned as follows:
  - First Place ..... 5 points
  - Second Place ..... 3 points
  - Third Place ..... 1 point
6. An award will be given for the best entry in the Novice Class (#115).
7. Ribbons will be awarded to all first, second, and third place winners in each class.
8. Trophies and ribbons may be picked up by the exhibitors after the close of the show, or at the April Chapter Meeting. All remaining ribbons will be mailed to the exhibitor.

## SHOW CLASSIFICATION FOR COMPETITION

Numerically ordered listing

**SPECIES** and **HYBRIDS** are placed in different classes distinguished by the letter trailing the class number.

**Sprays** are a **maximum** of 18” in any direction.

<u>Class</u>	<u>Name</u>	<u>Classification Grouping</u>
2s, 2h	Argyrophylla	Subsection
3s, 3h	Barbatum	the species
4s, 4h	Barbata	Subsection excluding the species barbatum
5s, 5h	Campanulata	Subsection
6s, 6h	Campylocarpa	Subsection
7s, 7h	Falconera	Subsection
8s, 8h	Fortunea	Subsection
9s, 9h	Fulva	Subsection
10s, 10h	Glischra	Subsection truss or spray
11s, 11h	Grandia	Subsection
12s, 12h	Irrorata and Lanata	Subsections
14s, 14h	Maculifera	Subsection
15s, 15h	Neriiflora	Subsection
16s, 16h	Parishii	Subsection
17s, 17h	Pontica	Subsection excluding the species yakushmanum
18s, 18h	Yakushmanum	the species (actually R. degronianum)
20s, 20h	Taliensia and Selensia	Subsections
21s, 21h	Thomsonia	Subsection truss or spray
22s, 22h	Williamsiana	Subsection truss or spray
23s, 23h	Arborea	Subsection excluding the species arboreum

24s, 24h	Arboreum	the species
25s, 25h	Boothia	Subsection truss or spray; may be protected
26s, 26h	Campylogyna	Subsection truss or spray
27s, 27h	Caroliniana	Subsection truss or spray
28s, 28h	Cinnabarina	Subsection truss or spray
29s, 29h	Edgeworthia	Subsection truss or spray
30s, 30h	Glauca	Subsection truss or spray
31s, 31h	Helirolepida	Subsection truss or spray
32s, 32h	Lapponica	Subsection truss or spray
33s, 33h	Ledum and Micrantha	Subsection truss or spray
34s, 34h	Maddenian	Subsection truss or spray; may be protected
35s, 35h	Moupinensia	Subsection truss or spray
36s, 36h	Rhododendron	Subsection truss or spray
37s, 37h	Rhodorastra	Subsection truss or spray
38s, 38h	Saluensia and Scabrifolia	Subsections truss or spray
39s, 39h	Pogonanthum	Subsection truss or spray
40s, 40h	Trichoclada	Subsection truss or spray
42s, 42h	Augustinii	the species truss or spray
43s, 43h	Triflora	Subsection excluding augustinii; truss or spray
44s, 44h	Griersoniana	Subsection
45s, 45h	Uniflora	Subsection truss or spray
50s, 50h	Vireya	Flower $\leq 2.5$ " diameter; truss or spray
51s, 51h	Vireya	Flower $> 2.5$ " diameter; truss or spray
60s, 60h	Pentanthera	Section (deciduous); truss or spray
61s, 61h	Pentanthera	Subgenus excluding sect. Pentanthera; truss or spray
62s, 62h	Brachycalyx	Section truss or spray



63s, 63h	Tsutsusi	Section	truss or spray
64s, 64h	Azaleastrum	Section	truss or spray
99s, 99h	Grown with protection		
100s, 100h	Species, 50+% hybrids of species not otherwise classifiable		
101	Evergreen azalea hybrids, mixed parentage; truss or spray		
102	Deciduous azalea hybrids, mixed parentage; truss or spray		
103	Mixed colors; not fitting any other category listed above		
104	White; not fitting into any other category listed above		
105	Pink; not fitting into any other category listed above		
106	Red; not fitting into any other category listed above		
107	Salmon/orange; not fitting into any other category listed above		
108	Yellow; not fitting into any other category listed above		
109	Blue/purple; not fitting into any other category listed above		
110	Azaleodendron		
111	Blooming Branch consisting of more than one truss. Exhibitors will provide their own display container for this class only. There is no size limit.		
112	Leaf Branch: a single stem of two-year old wood of the subgenus <i>Hymenanthes</i> (non-scaly), with all of the growth stems and leaves of one-year old wood, but no flowers or growth of the current season.		
113	Leaf Pairs: two leaves of each of six (6) rhododendrons mounted one face up and one face down on a stiff medium, such as cardboard, not to exceed 30 inches on a side. The leaves shall be accurately identified.		
114	Educational: Limited to flat pattern displays not to exceed 16 square feet (wall mounting is acceptable) or three-dimensional displays not exceeding 27 cubic feet.		
115	Novice Class		

# CLASSIFICATION OF SPECIES

Alphabetically ordered

Classification based on Cullen & Chamberlain

Based on the RHS book, 1998. Synonyms for old names are indicated in *italics*

Please update your nomenclature

NAME	Species	Hybrid	SUBGENUS	SECTION	SUBSECTION
	50%+ parentage				
aberconwayi	12s	12h	Hymenantes	Ponticum	Irrorata
adenogynum	20s	20h	Hymenantes	Ponticum	Taliensia
adenopodum	2s	2h	Hymenantes	Ponticum	Argyrophylla
afghanicum	100s	100h	Rhododendron	Rhododendron	Afghanica
aganniphum	20s	20h	Hymenantes	Ponticum	Taliensia
agapetum	16s	16h	<i>Synonym for R. kyawii</i>		
albertsenianum	15s	15h	Hymenantes	Ponticum	Neriiflora
albiflorum	100s	100h	Candidastrum		
albrechtii	61s	61h	Pentanthera	Sciadorhodion	
alutaceum	20s	20h	Hymenantes	Ponticum	Taliensia
amagianum	62s	62h	Tsutsusi	Brachycalyx	
ambiguum	43s	43h	Rhododendron	Rhododendron	Triflora
amoenum	63s	63h	<i>Syn. for R. kiusianum v. amoenum</i>		
anthopogon	39s	39h	Rhododendron	Pogonanthum	
anweiense	14s	14h	Hymenantes	Ponticum	Maculifera
apodectum	15s	15h	<i>Syn. for R. dichroanthum ssp. apodectum</i>		
arboreum	24s	24h	Hymenantes	Ponticum	Arborea
argipeplum	4s	4h	Hymenantes	Ponticum	Barbata
argyrophyllum	2s	2h	Hymenantes	Ponticum	Argyrophylla
arizelum	7s	7h	Hymenantes	Ponticum	Falconera
atlanticum	60s	60h	Pentanthera	Pentanthera	Pentanthera
augustinii	42s	42h	Rhododendron	Rhododendron	Triflora
aureum	17s	17h	Hymenantes	Ponticum	Pontica
auriculatum	100s	100h	Hymenantes	Ponticum	Auriculata
aurigeranum	50s	50h	Rhododendron	Vireya	Vireya
austrinum	60s	60h	Pentanthera	Pentanthera	Pentanthera
bakeri	s	h	<i>Natural hybrid of R. flammeum x R. canescens</i>		
balfourianum	20s	20h	Hymenantes	Ponticum	Taliensia
barbatum	3s	3h	Hymenantes	Ponticum	Barbata

basilicum	7s	7h	Hymenantes	Ponticum	Falconera
bauhiniiflorum	43s	43h	<i>Syn. for R. triflorum v. bauhiniiflorum</i>		
beanianum	15s	15h	Hymenantes	Ponticum	Neriiflora
beesianum	20s	20h	Hymenantes	Ponticum	Taliensia
bergii	42s	42h	<i>Syn. for R. augustinii ssp. rubrum</i>		
blackii	50s	50h	Rhododendron	Vireya	Euviereya
bodinieri	43s	43h	<i>Syn. for R. yunnanense</i>		
boothii	25s	25h	Rhododendron	Rhododendron	Boothia
brachyanthum	30s	30h	Rhododendron	Rhododendron	Glauca
brachycarpum	17s	17h	Hymenantes	Ponticum	Pontica
brevistylum	25s	25h	<i>Syn. for R. heliolepis v. brevistylum</i>		
brookianum	50s	50h	Rhododendron	Vireya	Vireya
bryophilum	51s	51h	Rhododendron	Vireya	Phaeovioreya
bureavii	20s	20h	Hymenantes	Ponticum	Taliensia
bureavioides	20s	20h	Hymenantes	Ponticum	Taliensia
burmanicum	34s	34h	Rhododendron	Rhododendron	Maddenia
buxifolium	50s	50h	Rhododendron	Vireya	Vireya
calendulaceum	60s	60h	Pentanthera	Pentanthera	Pentanthera
callimorphum	6s	6h	Hymenantes	Ponticum	Campylocarpa
calophytum	8s	8h	Hymenantes	Ponticum	Fortunea
calostrotum	38s	38h	Rhododendron	Rhododendron	Saluensia
campanulatum	5s	5h	Hymenantes	Ponticum	Campanulata
campylocarpum	6s	6h	Hymenantes	Ponticum	Campylocarpa
campylogynum	26s	26h	Rhododendron	Rhododendron	Campylogyna
camtschaticum	100s	100h	Therorhodion		
canadense	61s	61h	Pentanthera	Rhodora	
canescens	60s	60h	Pentanthera	Pentanthera	Pentanthera
carolinianum	27s	27h	<i>Syn. for R. minus v. minus</i>		
catacosmum	15s	15h	Hymenantes	Ponticum	Neriiflora
catawbiense	17s	17h	Hymenantes	Ponticum	Pontica
caucasicum	17s	17h	Hymenantes	Ponticum	Pontica
chaetomallum	15s	15h	<i>Syn. for R. haematodes</i>		
chamaethomsonii	15s	15h	Hymenantes	Hymenantes	Neriiflora
chamaeunum	38s	38h	<i>Syn. for R. saluenense ssp. chameunum</i>		
chapmanii	27s	27h	<i>Syn. for R. minus v. chapmanii</i>		
charitopes	30s	30h	Rhododendron	Rhododendron	Glauca
chartophyllum	43s	43h	<i>Syn. for R. yunnanense</i>		
chasmanthum	42s	42h	<i>Syn. for R. yunnanense</i>		
chengshianum	43s	43h	<i>Syn. for R. ambiguum</i>		

chlorops	s	h	<i>Natural hybrid of R. wardii v. wardii x vernicosum</i>		
christi	50s	50h	Rhododendron	Vireya	Vireya
christianiae	50s	50h	Rhododendron	Vireya	Vireya
chrysanthum	17s	17h	<i>Syn. for R. aureum v. aureum</i>		
chryseum	32s	32h	<i>Syn. for R. rupicola</i>		
ciliatum	34s	34h	Rhododendron	Rhododendron	Maddenia
ciliicalyx	34s	34h	Rhododendron	Rhododendron	Maddenia
cinnabarinum	28s	28h	Rhododendron	Rhododendron	Cinnabarina
cloiophorum	15s	15h	<i>Syn. for R. sanguineum</i>		
compactum	32s	32h	<i>Syn. for R. polycladum</i>		
complexum	32s	32h	Rhododendron	Rhododendron	Lapponica
concatenans	28s	28h	<i>Syn. for R. cinnabarinum</i>		
concinnum	43s	43h	Rhododendron	Rhododendron	Triflora
coriaceum	7s	7h	Hymenantes	Ponticum	Falconera
crassum	s	h	<i>Syn. for R. maddenii ssp. crassum</i>		
crinigerum	10s	10h	Hymenantes	Ponticum	Glischra
cruttwellii	51s	51h	Rhododendron	Vireya	Solenovireya
cubitii	34s	34h	<i>Syn. for R. veitchianum Cubittii Group</i>		
cuneatum	32s	32h	Rhododendron	Rhododendron	Lapponica
cyanocarpum	21s	21h	Hymenantes	Ponticum	Thomsonia
dalhousiae	34s	34h	Rhododendron	Rhododendron	Maddenia
dasypetalum	32s	32h	Rhododendron	Rhododendron	Lapponica
dauricum	37s	37h	Rhododendron	Rhododendron	Rhodorastra
davidsonianum	43s	43h	Rhododendron	Rhododendron	Triflora
decorum	8s	8h	Hymenantes	Ponticum	Fortunea
degronianum	17s	17h	Hymenantes	Ponticum	Pontica
delavayi	24s	24h	<i>Syn. for R. arboretum</i>		
desquamatum	31s	31h	<i>Syn. for R. rubiginosum</i>		
diaprepes	8s	8h	<i>Syn. for R. fortunei</i>		
dichroanthum	15s	15h	Hymenantes	Ponticum	Neriiflora
didymum	15s	15h	<i>Syn. for R. sanguineum</i>		
dielsianum	51s	51h	Rhododendron	Vireya	Phaeovireya
discolor	8s	8h	<i>Syn. for R. fortunei</i>		
dryophyllum	20s	20h	Hymenantes	Ponticum	Taliensia
dryophyllum (some)	20s	20h	<i>Syn. for R. phaeochryseum</i>		
eclecteum	21s	21h	Hymenantes	Ponticum	Thomsonia
edgarianum	32s	32h	<i>Syn. for R. x nivale</i>		
edgeworthii	29s	29h	Rhododendron	Rhododendron	Edgeworthia
elegantulum	20s	20h	Hymenantes	Ponticum	Taliensia

elliottii	16s	16h	Hymenantes	Ponticum	Parishia
emaculatum	20s	20h	<i>Syn. for R. beesianum</i>		
erigynum	16s	16h	<i>Syn. for R. facetum</i>		
erosum	4s	4h	Hymenantes	Ponticum	Barbata
euchaites	15s	15h	<i>Syn. for R. neriiflorum ssp. neriiflorum</i>		
excellense	34s	34h	Rhododendron	Rhododendron	Maddenia
faberi	20s	20h	Hymenantes	Ponticum	Taliensia
facetum	16s	16h	Hymenantes	Ponticum	Parishia
falconeri	7s	7h	Hymenantes	Ponticum	Falconera
fargesii	8s	8h	<i>Syn. for R. oreodoxa</i>		
fastigiatum	32s	32h	Rhododendron	Rhododendron	Lapponica
faucium	21s	21h	Hymenantes	Ponticum	Thomsonia
fauriei	17s	17h	<i>Syn. for R. brachycarpum</i>		
ferrugineum	36s	36h	Rhododendron	Rhododendron	Rhododendron
fictolacteam	7s	7h	<i>Syn. for R. rex</i>		
flavidum	32s	32h	Rhododendron	Rhododendron	Lapponica
fletcherianum	34s	34h	Rhododendron	Rhododendron	Maddenia
flinckii	12s	12h	Hymenantes	Ponticum	Lanata
floccigerum	15s	15h	Hymenantes	Ponticum	Neriiflora
floribundum	2s	2h	Hymenantes	Ponticum	Argyrophylla
formosum	34s	34h	Rhododendron	Rhododendron	Maddenia
forrestii	15s	15h	Hymenantes	Ponticum	Neriiflora
fortunei	8s	8h	Hymenantes	Ponticum	Fortunea
fragrans	39s	39h	<i>Syn. for R. trichostomum</i>		
fulgens	100s	100h	Hymenantes	Ponticum	Fulgensia
fulvum	9s	9h	Hymenantes	Ponticum	Fulva
galactinum	7s	7h	Hymenantes	Ponticum	Falconera
glanduliferum	s	h	Hymenantes	Ponticum	Fortunea
glandulosum	100s	100h	<i>Syn. for R. camtschaticum</i>		
glaucophyllum	30s	30h	Rhododendron	Rhododendron	Glauca
glischrum	10s	10h	Hymenantes	Ponticum	Glischra
globigerum	20s	20h	<i>Syn. for R. alutaceum</i>		
glomerulatum	32s	32h	<i>Syn. for R. yungningense</i>		
gracilentum	50s	50h	Rhododendron	Vireya	Vireya
grande	11s	11h	Hymenantes	Ponticum	Grandia
griersonianum	44s	44h	Hymenantes	Ponticum	Griersoniana
griffithianum	8s	8h	Hymenantes	Ponticum	Fortunea
groenlandicum	33s	33h	Rhododendron	Rhododendron	Ledum
gymnocarpum	15s	15h	<i>Syn. for R. microgynum</i>		

haemaleum	15s	15h	<i>Syn. for R. sanguineum</i>		
haematodes	15s	15h	Hymenantes	Ponticum	Neriiflora
hanceanum	40s	40h	Rhododendron	Rhododendron	Tephroplepa
heliolepis	31s	31h	Rhododendron	Rhododendron	Heliolepida
hellwigii	51s	51h	Rhododendron	Vireya	Phaeovireya
hemitrichotum	38s	38h	Rhododendron	Rhododendron	Scabrifolia
hemslianum	8s	8h	Hymenantes	Ponticum	Fortunea
hertzogii	51s	51h	Rhododendron	Vireya	Siphonovireya
hippophaeoides	32s	32h	Rhododendron	Rhododendron	Lapponica
hirsutum	36s	36h	Rhododendron	Rhododendron	Rhododendron
hirtipes	20s	20h	Hymenantes	Ponticum	Selensia
hodgsonii	7s	7h	Hymenantes	Ponticum	Falconera
honkongense	64s	64h	Azaleastrum	Azaleastrum	Ovatum
hormophorum	43s	43h	<i>Syn. for R. yunnanense</i>		
houlstonii	8s	8h	<i>Syn. for R. fortunei</i>		
hunnewellianum	2s	2h	Hymenantes	Ponticum	Argyrophylla
hyperythrum	17s	17h	Hymenantes	Ponticum	Pontica
impeditum	32s	32h	Rhododendron	Rhododendron	Lapponica
imperator	45s	45h	<i>Syn. for R. uniflorum</i>		
indicum	63s	63h	Tsutsusi	Tsutsusi	
insigne	2s	2h	Hymenantes	Ponticum	Argyrophylla
intricatum	32s	32h	Rhododendron	Rhododendron	Lapponica
irroratum	12s	12h	Hymenantes	Ponticum	Irrorata
japonicum	60s	60h	<i>Syn. for R. molle</i>		
jasminiflorum	51s	51h	Rhododendron	Vireya	Solenovireya
javanicum	50s	50h	Rhododendron	Vireya	Vireya
johnstoneanum	34s	34h	Rhododendron	Rhododendron	Maddenia
kaempferi	63s	63h	Tsutsusi	Tsutsusi	
keiskei	43s	43h	Rhododendron	Rhododendron	Triflora
keleticum	38s	38h	<i>Syn. for R. calostrotum ssp. keleticum</i>		
kiusianum	63s	63h	Tsutsusi	Tsutsusi	
konori	51s	51h	Rhododendron	Vireya	Phaeovireya
kyawii	16s	16h	Hymenantes	Ponticum	Parishia
lacteam	20s	20h	Hymenantes	Ponticum	Taliensia
laetum	50s	50h	Rhododendron	Vireya	Vireya
lanatum	12s	12h	Hymenantes	Ponticum	Irrorata
lanigerum	23s	23h	Hymenantes	Ponticum	Arborea
lapponicum	32s	32h	Rhododendron	Rhododendron	Lapponica
ledum groenlandicum	33s	33h	<i>Syn. for R. groenlandicum</i>		

lepidotum	100s	100h	Rhododendron	Rhododendron	Lepidota
leucaspis	25s	25h	Rhododendron	Rhododendron	Boothia
leucogigas	50s	50h	Rhododendron	Vireya	Vireya
liliiflorum	34s	34h	<i>Syn. for R. megacalyx?</i>		
lindleyi	34s	34h	Rhododendron	Rhododendron	Maddenia
linearfolium	63s	63h	<i>Syn. for R. stenopetalum</i>		
litangense	32s	32h	<i>Syn. for R. impeditum</i>		
lochiae	50s	50h	Rhododendron	Vireya	Euvireya
lochmium	43s	43h	Rhododendron	Rhododendron	Triflora
longesquamatum	14s	14h	Hymenantes	Ponticum	Maculifera
longistylum	40s	40h	Rhododendron	Rhododendron	Tephrolepa
lopsangianum	21s	21h	<i>Syn. for R. thomsonii</i>		
lowii	50s	50h	Rhododendron	Vireya	Vireya
ludlowii	45s	45h	Rhododendron	Rhododendron	Uniflora
luraluense	50s	50h	Rhododendron	Vireya	Vireya
lutescens	43s	43h	Rhododendron	Rhododendron	Triflora
luteum	60s	60h	Pentanthera	Pentanthera	Pentanthera
lyi	34s	34h	Rhododendron	Rhododendron	Maddenia
macabeanum	11s	11h	Hymenantes	Ponticum	Grandia
macgregoriae	50s	50h	Rhododendron	Vireya	Vireya
macrophyllum	17s	17h	Hymenantes	Ponticum	Pontica
macrosepalum	63s	63h	<i>Syn. for R. stenopetalum</i>		
maculiferum	14s	14h	Hymenantes	Ponticum	Maculifera
maddenii	34s	34h	Rhododendron	Rhododendron	Maddenia
magnificum	11s	11h	Hymenantes	Ponticum	Grandia
makinoi	17s	17h	Hymenantes	Ponticum	Pontica
mallotum	15s	15h	Hymenantes	Ponticum	Neriiflora
mariesii	62s	62h	Tsutsusi	Brachycalyx	
maximum	17s	17h	Hymenantes	Ponticum	Pontica
maybarae	62s	62h	Tsutsusi	Brachycalyx	
meddianum	21s	21h	Hymenantes	Ponticum	Thomsonia
megacalyx	34s	34h	Rhododendron	Rhododendron	Maddenia
megeratum	25s	25h	Rhododendron	Rhododendron	Boothia
mekongense	40s	40h	Rhododendron	Rhododendron	Trichoclada
melinanthum	40s	40h	<i>Syn. for R. mekongense</i>		
metternichii	17s	17h	<i>Syn. for R. degonianum</i>		
micranthum	33s	33h	Rhododendron	Rhododendron	Micrantha
microgynum	15s	15h	Hymenantes	Ponticum	Neriiflora
minus	27s	27h	Rhododendron	Rhododendron	Caroliniana

molle	60s	60h	Pentanthera	Pentanthera	Sinensia
mollicomum	38s	38h	Rhododendron	Rhododendron	Scabrifolia
mollis	60s	60h	<i>Syn. for R. molle</i>		
montroseanum	11s	11h	Hymenantes	Ponticum	Grandia
morii	14s	14h	Hymenantes	Ponticum	Maculifera
moupinense	35s	35h	Rhododendron	Rhododendron	Moupinensia
mucronulatum	37s	37h	Rhododendron	Rhododendron	Rhodorastra
myritifolium	36s	36h	Rhododendron	Rhododendron	Rhododendron
nakaharae	63s	63h	Tsutsusi	Tsutsusi	
neriiflorum	15s	15h	Hymenantes	Ponticum	Neriiflora
nieuwenhuisii	50s	50h	Rhododendron	Vireya	Vireya
nigropunctatum	32s	32h	<i>Syn. for R. nivale</i>		
nipponicum	61s	61h	Pentanthera	Viscidula	
nivale	32s	32h	Rhododendron	Rhododendron	Lapponica
niveum	23s	23h	Hymenantes	Ponticum	Arborea
nudipes	62s	62h	Tsutsusi	Brachycalyx	
nuttallii	34s	34h	Rhododendron	Rhododendron	Maddenia
obtusum	63s	63h	<i>Syn. for R. kiusianum x R. kaempferi</i>		
occidentale	60s	60h	Pentanthera	Pentanthera	Pentanthera
ochraceum	14s	14h	Hymenantes	Ponticum	Maculifera
odoriferum	34s	34h	<i>Syn. for R. maddenia</i>		
openshawianum	8s	8h	<i>Syn. for R. calophytum</i>		
orbiculare	8s	8h	Hymenantes	Ponticum	Fortunea
orbiculatum	51s	51h	Rhododendron	Vireya	Solenovireya
oreodoxa	8s	8h	Hymenantes	Ponticum	Fortunea
oreotrepes	43s	43h	Rhododendron	Rhododendron	Triflora
orthocladum	32s	32h	Rhododendron	Rhododendron	Lapponica
pachysanthum	14s	14h	Hymenantes	Ponticum	Maculifera
pachytrichum	14s	14h	Hymenantes	Ponticum	Maculifera
paludosum	32s	32h	<i>Syn. for R. nivale</i>		
parishii	16s	16h	Hymenantes	Ponticum	Parishia
parmulatum	15s	15h	Hymenantes	Ponticum	Neriiflora
parryae	34s	34h	Rhododendron	Rhododendron	Maddenia
pemakoense	45s	45h	Rhododendron	Rhododendron	Uniflora
pendulum	29s	29h	Rhododendron	Rhododendron	Edgeworthia
pentaphyllum	61s	61h	Pentanthera	Sciadorhodion	
peregrinum	7s	7h	<i>Syn. for R. galactinum</i>		
periclymenoides	60s	60h	Pentanthera	Pentanthera	Pentanthera
phaeochrysum	20s	20h	Hymenantes	Ponticum	Taliensia



phaeopeplum	51s	51h	<i>Syn. for R. konori</i>		
piercei	15s	15h	Hymenantes	Ponticum	Neriiflora
pingianum	2s	2h	Hymenantes	Ponticum	Argyrophylla
polyandrum	34s	34h	<i>Syn. for R. maddenii</i>		
polycladum	32s	32h	Rhododendron	Rhododendron	Lapponica
polylepis	43s	43h	Rhododendron	Rhododendron	Triflora
ponticum	17s	17h	Hymenantes	Ponticum	Pontica
praestans	11s	11h	Hymenantes	Hymenantes	Grandia
praeevernum	8s	8h	Hymenantes	Ponticum	Fortunea
primuliflorum	39s	39h	Rhododendron	Pogonanthum	
principis	20s	20h	Hymenantes	Ponticum	Irrorata
prinophyllum	60s	60h	Pentanthera	Pentanthera	Pentanthera
prostratum	38s	38h	<i>Syn. for R. saluense</i>		
proteoides	20s	20h	Hymenantes	Ponticum	Irrorata
protistum	11s	11h	Hymenantes	Ponticum	Grandia
prunifolium	60s	60h	Pentanthera	Pentanthera	Pentanthera
przewalskii	20s	20h	Hymenantes	Ponticum	Taliensia
pseudocrysanthum	14s	14h	Hymenantes	Ponticum	Maculifera
pubescens	38s	38h	Rhododendron	Rhododendron	Scabrifolia
pudorosum	11s	11h	Hymenantes	Ponticum	Grandia
pumilum	45s	45h	Rhododendron	Rhododendron	Uniflora
purdomii	8s	8h	Hymenantes	Ponticum	Taliensia
quinquefolium	61s	61h	Rhododendron	Sciadorhodium	
racemosum	38s	38h	Rhododendron	Rhododendron	Scabrifolia
radicans	38s	38h	<i>Syn. for R. calostrotum ssp. Keleticum Radicans Group</i>		
rarum	51s	51h	Rhododendron	Vireya	Phaeovireya
ravum	32s	32h	<i>Syn. for R. cuneatum</i>		
recurvoides	10s	10h	Hymenantes	Ponticum	Glischra
reticulatum	62s	62h	Tsutsusi	Brachycalyx	
rex	7s	7h	Hymenantes	Ponticum	Falconera
rhabdotum	34s	34h	<i>Syn. for R. dalhousiae</i>		
rigidum	43s	43h	Rhododendron	Rhododendron	Triflora
ririei	2s	2h	Hymenantes	Ponticum	Argyrophylla
rothschildii	7s	7h	Hymenantes	Ponticum	Falconera
roxianum	20s	20h	Hymenantes	Ponticum	Taliensia
rubiginosum	31s	31h	Rhododendron	Rhododendron	Helirolepida
rude	10s	10h	<i>Syn. for R. glischrum</i>		
rufum	20s	20h	Hymenantes	Ponticum	Taliensia
rupicola	32s	32h	Rhododendron	Rhododendron	Lapponica

russatum	32s	32h	Rhododendron	Rhododendron	Lapponica
saluenense	38s	38h	Rhododendron	Rhododendron	Saluensia
sanctum	62s	62h	Tsutsusi	Brachycalyx	
sanguineum	15s	15h	Hymenantes	Ponticum	Neriiflora
sargentianum	39s	39h	Rhododendron	Pogonanthum	
scabrifolium	38s	38h	Rhododendron	Rhododendron	Scabrifolia
schlippenbachii	61s	61h	Pentanthera	Sciadorhodion	
scopulorum	34s	34h	Rhododendron	Rhododendron	Maddenia
scyphocalyx	15s	15h	<i>Syn. for R. dichroanthum ssp. Scyphocalyx</i>		
searsii	43s	43h	Rhododendron	Rhododendron	Triflora
selense	20s	20h	Hymenantes	Ponticum	Selensia
serotinum	8s	8h	Hymenantes	Ponticum	Fortunea
serpyllifolium	63s	63h	Tsutsusi	Tsutsusi	
setiferum	20s	20h	<i>Syn. for R. selense ssp. setiferum</i>		
siderophyllum	43s	43h	Rhododendron	Rhododendron	Triflora
simiarum	2s	2h	Hymenantes	Ponticum	Argyrophylla
simsii	63s	63h	Tsutsusi	Tsutsusi	
sinogrande	11s	11h	Hymenantes	Ponticum	Grandia
smirnowii	17s	17h	Hymenantes	Ponticum	Pontica
smithii	4s	4h	<i>Syn. for R. argipeplum</i>		
souliei	6s	6h	Hymenantes	Ponticum	Campylocarpa
sperabile	15s	15h	Hymenantes	Ponticum	Neriiflora
spiciferum	38s	38h	<i>Syn. for R. scabrifolium v. spiciferum</i>		
spilotum	10s	10h	Hymenantes	Ponticum	Glischra
spinuliferum	38s	38h	Rhododendron	Rhododendron	Scabrifolia
stenopetalum	63s	63h	Tsutsusi	Tsutsusi	
stenophyllum	50s	50h	Rhododendron	Vireya	Vireya
strigillosum	14s	14h	Hymenantes	Ponticum	Maculifera
succothii	4s	4h	Hymenantes	Ponticum	Barbata
sulfureum	25s	25h	Rhododendron	Rhododendron	Boothia
superbum	51s	51h	Rhododendron	Vireya	Phaeovireya
sutchuenense	8s	8h	Hymenantes	Ponticum	Fortunea
taggianum	34s	34h	Rhododendron	Rhododendron	Maddenia
taliense	20s	20h	Hymenantes	Ponticum	Taliensia
tapetiforme	32s	32h	Rhododendron	Rhododendron	Lapponica
tashiroi	63s	63h	Tsutsusi	Tsutsusi	
thayerianum	2s	2h	Hymenantes	Ponticum	Argyrophylla
thomsonii	21s	21h	Hymenantes	Ponticum	Thomsonia
traillianum	20s	20h	Hymenantes	Ponticum	Taliensia

transiens	63s	63h	<i>Syn. for R. kiusianum</i>		
trichocladum	40s	40h	Rhododendron	Rhododendron	Trichoclada
trichostomum	39s	39h	Rhododendron	Pogonanthum	
triflorum	43s	43h	Rhododendron	Rhododendron	Triflora
tsangpoense	30s	30h	<i>Syn. for R. charitopes v. tsangpoense</i>		
tsariense	12s	12h	Hymenantes	Ponticum	Lanata
tuba	51s	51h	Rhododendron	Vireya	Solenovireya
ungernii	17s	17h	Hymenantes	Ponticum	Pontica
uniflorum	45s	45h	Rhododendron	Rhododendron	Uniflora
uvariifolium	9s	9h	Hymenantes	Ponticum	Fulva
valentinianum	34s	34h	Rhododendron	Rhododendron	Maddenia
vaseyi	61s	61h	Pentanthera	Rhodora	
veitchianum	34s	34h	Rhododendron	Rhododendron	Maddenia
vellereum	20s	20h	<i>Syn. for R. principis</i>		
venator	100s	100h	Hymenantes	Ponticum	Venatora
vernicosum	8s	8h	Hymenantes	Ponticum	Fortunea
viridescens	40s	40h	Rhododendron	Rhododendron	Trichoclada
viscidifolium	21s	21h	Hymenantes	Ponticum	Thomsonia
viscosum	60s	60h	Pentanthera	Pentanthera	Pentanthera
wadanum	62s	62h	Tsutsusi	Brachycalyx	
wallichii	5s	5h	Hymenantes	Ponticum	Campylocarpa
wardii	6s	6h	Hymenantes	Ponticum	Campanulata
wasonii	20s	20h	Hymenantes	Ponticum	Taliensia
watsonii	11s	11h	Hymenantes	Ponticum	Grandia
websteranum	32s	32h	Rhododendron	Rhododendron	Lapponica
weyrichii	62s	62h	Tsutsusi	Brachycalyx	
wightii	20s	20h	Hymenantes	Ponticum	Taliensia
williamsianum	22s	22h	Hymenantes	Ponticum	Williamsiana
williamsii	50s	50h	Rhododendron	Vireya	Vireya
wiltonii	20s	20h	Hymenantes	Ponticum	Taliensia
xanthocodon	28s	28h	<i>Syn. for R. cinnabarinum ssp. xanthocodon</i>		
xanthostephanum	s	h	Rhododendron	Rhododendron	Tephrolepa
yakushmanum	18s	18h	<i>Syn. for R. degronianum ssp. yakushmanum</i>		
yedoense	63s	63h	Tsutsusi	Tsutsusi	
yunngingense	32s	32h	Rhododendron	Rhododendron	Lapponica
yunnanense	43s	43h	Rhododendron	Rhododendron	Triflora
zaleucum	43s	43h	Rhododendron	Rhododendron	Triflora
zeylanicum	24s	24h	<i>Syn. for R. arboreum ssp. zeylanicum</i>		
zoelleri	50s	50h	Rhododendron	Vireya	Euvireya

# CLASSIFICATION OF HYBRIDS

Alphabetically ordered

<u>NAME</u>	hybrid <u>class</u>	PARENT <u>species</u>	Parentage <u>amount</u>
<b>A</b>			
Abigail .....	8h..	calophytum.....	50%
Abendsonne .....	15h..	scyphocalyx .....	50%
Agate Pass Jewel .....	15h..	dichroanthum .....	50%
Aglo .....	27h..	carolinianum .....	50%
Aglo .....	27h..	minus.....	50%
Airy Fairy .....	37h..	mucronulatum.....	50%
Airy Fairy .....	43h..	lutescens.....	50%
Aksel Olsen .....	15h..	forrestii.....	50%
Al Jolson.....	15h..	haemaleum .....	50%
Aldham .....	18h..	yakushmanum .....	50%
Alec G. Holmes .....	16h..	elliottii .....	50%
Alec G. Holmes .....	18h..	yakushmanum .....	50%
Alena .....	8h..	decorum .....	50%
Alexandr.....	53h..	vireya hybrid .....	50%
Alfred Martin.....	29h..	edgeworthii .....	50%
Alice .....	8h..	griffithianum .....	50%
Alice Street.....	6h..	wardii.....	50%
Alice Swift.....	27h..	carolinianum .....	50%
Alison Johnstone .....	28h..	cinnabarinum .....	50%
Alison Johnstone .....	43h..	yunnanense .....	50%
Aladdin.....	100h..	auriculatum .....	50%
Aladdin.....	44h..	griersonianum .....	50%
Aloha .....	18h..	yakushmanum .....	50%
Alpine Dew .....	38h..	racemosum .....	50%
Alpine Glow .....	8h..	calophytum.....	50%
Altaclarensis .....	24h..	arboreum.....	50%
Amazement.....	6h..	wardii.....	50%
Amazement.....	8h..	fortunei.....	50%
Amazing Grace .....	17h..	catawbiense .....	75%
Amigo .....	12h..	aberconwayi .....	50%
Amigo 2 .....	12h..	aberconwayi .....	50%
Amity .....	18h..	yakushmanum .....	50%
Amphion .....	17h..	catawbiense .....	50%
Anaouri.....	8h..	discolor.....	50%
Angelo .....	8h..	griffithianum .....	50%
Angelo .....	8h..	discolor.....	50%
Angi Lake .....	53h..	vireya .....	50%
Anica Bricogne .....	17h..	catawbiense .....	50%
Anita Gehrich .....	18h..	yakushmanum .....	50%
Ann Carey .....	38h..	spinuliferum.....	50%
Ann Carey .....	43h..	keiskei.....	50%
Anna .....	8h..	griffithianum .....	62.5%
Anna H. Hall .....	17h..	catawbiense .....	50%
Anna H. Hall .....	18h..	yakushmanum .....	50%
Annette.....	43h..	triflorum.....	50%
Anuschka.....	18h..	yakushmanum .....	50%
Applause.....	17h..	catawbiense .....	53.1(?)%
Apple Blossom .....	8h..	fortunei.....	50%
April Gem.....	27h..	carolinianum .....	50%
April Glow.....	22h..	williamsianum .....	50%
April Rose .....	37h..	dauricum .....	50%
April Snow .....	37h..	dauricum .....	50%
April White .....	27h..	carolinianum .....	50%
Argentina.....	17h..	catawbiense .....	50%
Aries .....	15h..	neriiflorum .....	50%
Aries .....	21h..	thomsonii .....	50%
Arthur Bedford.....	17h..	ponticum .....	50%
Arthur Charles .....	105h..	pink .....	50%
Atrier .....	15h..	floccigerum .....	50%
Atroflo .....	15h..	floccigerum .....	50%
Atrosanguineum.....	17h..	catawbiense .....	50%
August Lamken .....	22h..	williamsianum .....	50%
August Moon.....	108..	yellow color .....	50%
Auguste Van Geerte .....	17h..	ponticum .....	50%
Auguste Van Geerte .....	24h..	arboreum.....	50%
Aurora .....	21h..	thomsonii .....	50%
Avalanche .....	8h..	calophytum.....	50%

## B

Babylon.....	8h..	calophytum.....	50%
Babylon.....	8h..	praevernium .....	50%
Bad Eislen .....	15h..	forrestii.....	50%
Baden-baden .....	15h..	forrestii.....	50%
Bali.....	17h..	catawbiense .....	50%
Ballet.....	17h..	catawbiense .....	50%
Balta.....	27h..	minus.....	50%
Bambi .....	18h..	yakushmanum .....	50%
Barclayi.....	21h..	thomsonii .....	50%
Barto Alpine .....	32h..	lapponicum .....	50%
Barto Blue.....	42h..	augustinii.....	50%
Bashful.....	18h..	yakushmanum .....	50%
Beauty of Littleworth .....	5h..	campanulatum.....	50%
Beauty of Littleworth .....	8h..	griffithianum .....	50%
Beauty of Tremaugh.....	8h..	griffithianum .....	50%
Beauty of Tremaugh.....	24h..	arboreum.....	50%
Belisar.....	53h..	vireya .....	50%
Belle Heller.....	17h..	catawbiense .....	50%
Ben Moseley .....	8h..	fortunei.....	50%
Bengal.....	15h..	forrestii.....	50%
Bergie Larson .....	6h..	wardii.....	50%
Betty Hume .....	8h..	fortunei.....	50%
Betty Wormald .....	17h..	catawbiense .....	50%
Bibiani .....	24h..	arboreum.....	50%
Bikini Island.....	18h..	yakushmanum .....	50%
Blanc-mange.....	100h..	auriculatum .....	50%
Blaney's Blue .....	42h..	augustinii.....	50%
Blue Diamond .....	42h..	augustinii.....	50%
Blue Tit.....	42h..	augustinii.....	50%
Bluebird.....	32h..	intricatum.....	50%
Bluebird.....	42h..	augustinii.....	50%
Bluenose.....	37h..	dauricum .....	50%
Blue Ridge .....	42h..	augustinii.....	75%
Bo-peep .....	35h..	moupinense.....	50%
Bo-peep .....	43h..	lutescens.....	50%
Bob's Blue .....	17h..	ponticum .....	50%

Boddaertianum.....	5h..	campanulatum.....	50%
Boddaertianum.....	24h..	arboreum.....	50%
Borneo .....	17h..	catawbiense .....	50%
Boule de Neige .....	17h..	caucasicum .....	50%
Bow Bells.....	22h..	williamsianum .....	50%
Bowie .....	27h..	chapmanii.....	50%
Bowie .....	27h..	minus.....	50%
Bravo! .....	17h..	catawbiense .....	50%
Bric-a-brac.....	25h..	leucaspis.....	50%
Bric-a-brac.....	35h..	moupinense.....	50%
Brilliant.....	33h..	groenlandicum .....	50%
Broughtoni Aureum .....	110..	azaleodendron .....	50%
Broughtonii .....	24h..	arboreum.....	50%
Brown Eyes .....	8h..	fortunei.....	50%
Bruce Brechtbill .....	6h..	campylocarpum....	50%
Bud Flanagan .....	17h..	ponticum .....	50%
Buff Lady.....	8h..	discolor.....	50%
Butterhorn.....	34h..	dalhousiae .....	50%

## C

Calcutta .....	17h..	catawbiense .....	50%
California Gold.....	34h..	ciliicalyx.....	50%
Calstocker.....	8h..	calophytum.....	50%
Campy .....	6h..	campylocarpum....	50%
Canadian Sunset .....	18h..	yakushmanum .....	50%
Carita .....	6h..	campylocarpum....	50%
Carmen.....	15h..	forrestii.....	50%
Carmen.....	15h..	sanguineum .....	50%
Carte Blanche .....	17h..	brachycarpum .....	50%
Cavalcade.....	44h..	griersonianum .....	50%
Charles Dickens .....	17h..	catawbiense .....	50%
Chatham .....	8h..	fortunei.....	50%
Cheer .....	105..	pink color .....	50%
Cherry Bright .....	21h..	thomsonii .....	50%
Cherry Bright .....	22h..	williamsianum .....	50%
Chesapeake.....	38h..	pubescens.....	50%
Chesapeake.....	43h..	keiskei.....	50%
Chev Felix De Sauvage .....	17h..	caucasicum .....	50%
Chikor.....	17h..	rupicola .....	50%

Chikor ..... 45h.. ludlowii ..... 50%  
China ..... 8h.. fortunei..... 50%  
China ..... 20h.. wightii..... 50%  
Chinese Blue ..... 32h.. yungningense ..... 50%  
Christmas Cheer ..... 17h.. caucasicum ..... 50%  
Cilpinense ..... 34h.. ciliatum..... 50%  
Cilpinense ..... 35h.. moupinense..... 50%  
Cinquero ..... 14h.. strigillosum..... 50%  
Cinquero ..... 18h.. yakushmanum ..... 50%  
Colina ..... 22h.. williamsianum ..... 50%  
Conemaugh ..... 37h.. mucronulatum..... 50%  
Conemaugh ..... 38h.. racemosum ..... 50%  
Conestoga ..... 27h.. carolinianum ..... 50%  
Conestoga ..... 38h.. racemosum ..... 50%  
Congo ..... 17h.. catawbiense ..... 50%  
Conroy ..... 28h.. cinnabarinum ..... 50%  
Coombe Royal ..... 8h.. griffithianum ..... 50%  
Coral Glow ..... 37h.. mucronulatum..... 50%  
Coral Glow ..... 43h.. lutescens..... 50%  
Coral Velvet..... 18h.. yakushmanum ..... 50%  
Cornish Cross..... 8h.. griffithianum ..... 50%  
Cornish Cross..... 21h.. thomsonii ..... 50%  
Cornubia ..... 14h.. strigillosum..... 50%  
Cornubia ..... 18h.. yakushmanum ..... 50%  
Coronation Day ..... 8h.. griffithianum ..... 50%  
Cortez ..... 7h.. basilicum ..... 50%  
Cosmopolitan ..... 105h.. pink color ..... 50%  
Countess of Althone ..... 17h.. catawbiense ..... 50%  
Countess of Derby..... 105h.. pink color ..... 50%  
Countess of Haddington ..... 34h.. ciliatum..... 50%  
Countess of Haddington ..... 34h.. dalhousiae ..... 50%  
County of York..... 17h.. catawbiense ..... 50%  
Crater Lake..... 42h.. augustinii..... 50%  
Cream Crest ..... 32h.. rupicola ..... 50%  
Creeping Jenny ..... 15h.. forrestii..... 50%  
Creeping Jenny ..... 44h.. griersonianum ..... 50%  
Crest ..... 6h.. wardii..... 50%  
Crete ..... 17h.. smirnowii ..... 50%  
Crete ..... 18h.. yakushmanum ..... 50%

Crimson Pippin ..... 15h.. sanguineum ..... 50%  
Crimson Pippin ..... 18h.. yakushmanum ..... 50%  
Cunningham's Blush ..... 17h.. ponticum ..... 50%  
Cuttwell's Pink..... 53h.. vireya hybrid ..... 50%  
Crystal Springs..... 8h.. fortunei..... 50%  
Curlew ..... 34h.. fletcherianum ..... 50%  
Curlew ..... 45h.. ludlowii ..... 50%  
Cynthia ..... 8h.. griffithianum ..... 50%  
Cynthia ..... 17h.. catawbiense ..... 50%

## D

Dame Nellie Melba ..... 24h.. arboreum ..... 62.5%  
Dark Throat..... 8h.. fortunei..... 50%  
David ..... 15h.. neriiflorum ..... 50%  
Day Dream ..... 44h.. griersonianum ..... 50%  
Del ..... 6h.. wardii..... 50%  
Desert Sun ..... 15h.. houlstonii ..... 50%  
Devonshire Cream ..... 6h.. campylocarpum ..... 50%  
Dexter's Vanilla ..... 8h.. decorum ..... 50%  
Dexter's Vanilla ..... 15h.. haematodes ..... 50%  
Dexter's Victoria ..... 17h.. catawbiense ..... 50%  
Dexter's Victoria ..... 17h.. smirnowii ..... 50%  
Dido..... 8h.. decorum ..... 50%  
Dido..... 15h.. dichroanthum ..... 50%  
Director E Hjelm..... 8h.. fortunei..... 50%  
Dixy Lee Ray ..... 6h.. campylocarpum ..... 50%  
Doc ..... 18h.. yakushmanum ..... 50%  
Dolly Madison ..... 17h.. catawbiense ..... 50%  
Doncaster ..... 24h.. arboreum ..... 50%  
Donna Hardgrove..... 8h.. fortunei..... 50%  
Dora Amateis..... 27h.. carolinianum ..... 50%  
Dora Amateis..... 34h.. ciliatum..... 50%  
Dorinthia..... 44h.. griersonianum ..... 50%  
Double Winner ..... 14h.. strigillosum..... 50%  
Dr. Art Harris ..... 8h.. sutchuenense ..... 50%  
Dr. Art Harris ..... 17h.. macrophyllum ..... 50%  
Dr. Stocker..... 8h.. griffithianum ..... 50%  
Dr. Stocker ..... 17h.. caucasicum ..... 50%  
Dr. V.H. Rutgers ..... 17h.. catawbiense ..... 50%

Duchess of Edinburg ..... 50h.. brookianum..... 50%  
 Duchess of Edinburg ..... 50h.. lowii..... 50%  
 Dusky Maid ..... 8h.. discolor..... 50%

## E

Edgarsteads ..... 106h.. red color ..... 50%  
 Edith Boulter..... 105h.. pink color ..... 50%  
 Edmont Amateis ..... 17h.. catawbiense ..... 50%  
 Egret ..... 26h . campylogynum .... 50%  
 Egret ..... 38h . racemosum ..... 50%  
 Eldorado..... 34h.. johnstoneanum .... 50%  
 Eldorado..... 34h.. valentinianum ..... 50%  
 Electra ..... 42h.. augustinii..... 50%  
 Electra ..... 42h.. chasmanthum..... 50%  
 Elegans ..... 17h.. catawbiense ..... 50%  
 Elizabeth..... 15h.. forrestii ..... 50%  
 Elizabeth..... 44h.. griersonianum ..... 50%  
 Elisabeth Hobbie ..... 15h.. forrestii ..... 50%  
 Else Frye ..... 34h.. ciliicalyx..... 50%  
 Elsie Straver ..... 6h.. campylocarpum.... 50%  
 Emasculum..... 34h.. ciliatum..... 50%  
 Emasculum..... 37h.. dauricum ..... 50%  
 Epoch ..... 27h.. carolinianum ..... 50%  
 Ernie Dee ..... 37h.. dauricum ..... 50%  
 Ernie Dee ..... 38h.. racemosum ..... 50%  
 Estacada ..... 18h.. yakushmanum ..... 50%  
 Estacada ..... 24h.. arboreum..... 50%  
 Ethel ..... 15h . forrestii ..... 50%  
 Etta Burrows ..... 14h.. strigillosum..... 50%  
 Everestianum ..... 17h.. catawbiense ..... 50%  
 Everything Nice..... 105h.. pink color ..... 50%  
 Exbury Cornish Cross..... 8h.. griffithianum ..... 50%  
 Exbury Cornish Cross..... 21h.. thomsonii ..... 50%

## F

F.C. Puddle ..... 15h.. neriiflorum ..... 50%  
 F.C. Puddle ..... 44h.. griersonianum ..... 50%  
 Fabia..... 15h.. dichroanthum ..... 50%  
 Fabia..... 44h.. griersonianum ..... 50%

Fabia Tangerine ..... 15h.. dichroanthum ..... 50%  
 Fabia Tangerine ..... 44h.. griersonianum ..... 50%  
 Falkenburg ..... 22h.. williamsianum ..... 50%  
 Fanfare ..... 106h.. red color ..... 50%  
 Fawn..... 8h.. fortunei..... 50%  
 Felis ..... 15h.. dichroanthum ..... 50%  
 Felis ..... 16h.. facetum..... 50%  
 Festivo ..... 6h.. wardii..... 50%  
 Finlandia ..... 17h.. catawbiense ..... 50%  
 Firebird ..... 44h.. griersonianum ..... 50%  
 Firedrake ..... 16h.. kyawii ..... 50%  
 Fireman Jeff ..... 106h . red color ..... 50%  
 Flava ..... 6h.. wardii..... 50%  
 Flava ..... 18h.. yakushmanum ..... 50%  
 Flora Markeeta ..... 21h.. thomsonii ..... 50%  
 Flora's Boy ..... 15h.. forrestii ..... 50%  
 Formosum ..... 34h.. ciliicalyx..... 50%  
 Formosum ..... 34h.. maddenianum..... 50%  
 Fragrantissimum ..... 29h.. edgeworthii ..... 50%  
 Fragrantissimum ..... 34h.. formosum ..... 50%  
 Fred Robbins ..... 105h.. pink color ..... 50%  
 Fresco ..... 12h.. aberconwayi ..... 50%  
 Fusilier ..... 16h.. elliotii ..... 50%  
 Fusilier ..... 44h.. griersonianum ..... 50%

## G

Game Chick..... 8h.. fortunei..... 50%  
 Game Chick..... 8h.. griffithianum ..... 50%  
 Gartendirektor Rieger..... 22h.. williamsianum ..... 50%  
 General Eisenhower..... 8h.. griffithianum ..... 50%  
 Geoffrey Millais ..... 8h.. griffithianum ..... 50%  
 George Cunningham..... 5h.. campanulatum..... 50%  
 George Cunningham..... 24h.. arboreum..... 50%  
 George Hardy ..... 8h.. griffithianum ..... 50%  
 George Hardy ..... 17h.. catawbiense ..... 50%  
 Gertrud Schale..... 15h.. forrestii ..... 50%  
 Ginny Gee ..... 38h.. racemosum ..... 50%  
 Ginny Gee ..... 43h.. keiskei..... 50%  
 Gipsy King..... 15h.. haematodes ..... 50%

Gletchernacht..... 32h.. russatum ..... 50%  
 Glory of Penjerrick..... 8h.. griffithianum ..... 50%  
 Glory of Penjerrick..... 24h.. arboreum..... 50%  
 Godesberg ..... 8h.. griffithianum ..... 50%  
 Golden Anniversary ..... 8h.. chlorops..... 50%  
 Golden Gate ..... 15h.. dichroanthum ..... 50%  
 Golden Jubilee ..... 8h.. decorum ..... 50%  
 Golden Star..... 6h.. wardii..... 50%  
 Golden Star..... 8h.. fortunei..... 50%  
 Golden West ..... 6h.. campylocarpum.... 50%  
 Golden West ..... 8h.. fortunei..... 50%  
 Goldfort..... 8h.. fortunei..... 50%  
 Goldilocks (lepidote) ..... 25h.. xanthostephanum. 50%  
 Goldilocks (lepidote) ..... 32h.. rupicola ..... 50%  
 Goldilocks (elepidote) ..... 6h.. campylocarpum.... 50%  
 Goldstrike..... 43h.. oreotrephe ..... 50%  
 Goldsworth Orange..... 8h.. discolor..... 50%  
 Goldsworth Yellow..... 6h.. campylocarpum.... 50%  
 Goldsworth Yellow..... 17h.. caucasicum ..... 50%  
 Good Hope ..... 6h.. wardii..... 50%  
 Good Hope ..... 17h.. catawbiense ..... 50%  
 Grace Seabrook..... 14h.. strigillosum..... 50%  
 Grand-El ..... 11h.. grande ..... 50%  
 Grand-El ..... 24h.. delavayi..... 50%  
 Great Eastern ..... 8h.. fortunei..... 50%  
 Grierpont..... 17h.. ponticum ..... 50%  
 Grierpont..... 44h.. griersonianum ..... 50%  
 Grosclaude ..... 15h.. haematodes ..... 50%  
 Grosclaude ..... 16h.. eriogynum ..... 50%  
 Grumpy ..... 18h.. yakushmanum ..... 50%

## H

Hachmann's Polaris ..... 18h.. yakushmanum ..... 50%  
 Halfdan Lem ..... 106h.. red color ..... 50%  
 Hansa Bay ..... 50h.. aurigeranum ..... 50%  
 Hansa Bay ..... 50h.. laetum..... 50%  
 Hardijzer's Beauty ..... 38h.. racemosum ..... 50%  
 Harold Amateis ..... 14h.. strigillosum..... 50%  
 Harold Amateis ..... 17h.. maximum..... 50%

Harry Wu ..... 50h.. leucogigas ..... 50%  
 Harry Wu ..... 50h.. zoelleri..... 50%  
 Heavenly Scent ..... 8h.. fortunei..... 50%  
 Helen Deehr..... 106h.. red color..... 50%  
 Hello Dolly ..... 17h.. smirnowii ..... 50%  
 Henry's Red..... 17h.. catawbiense ..... 50%  
 Hershey Red..... 101.. evergreen azalea ... 50%  
 Hino Crimson..... 101.. evergreen azalea ... 50%  
 Holden..... 17h.. catawbiense ..... 50%  
 Holy Moses ..... 17h.. smirnowii ..... 50%  
 Honey ..... 6h.. wardii..... 50%  
 Honeymoon..... 6h.. wardii..... 50%  
 Hoppy ..... 18h.. yakushmanum ..... 50%  
 Horizon Dawn ..... 108h.. yellow ..... 50%  
 Horizon Snowbird..... 18h.. yakushmanum ..... 50%  
 Humbolt ..... 17h.. catawbiense ..... 50%  
 Humming Bird ..... 15h.. haematodes ..... 50%  
 Humming Bird ..... 22h.. williamsianum ..... 50%

## I

Idealist..... 6h.. wardii..... 50%  
 Ilam Alarm ..... 24h.. arboreum..... 50%  
 Ilam Cerise ..... 24h.. arboreum..... 50%  
 Ilam Violet..... 32h.. russatum..... 50%  
 Impi (impae) ..... 15h.. sanguineum ..... 50%  
 Indiana ..... 15h.. dichroanthum ..... 50%  
 Indiana ..... 16h.. kyawii ..... 50%  
 Intrifast..... 32h.. fastigiatum ..... 50%  
 Intrifast..... 32h.. intricatum..... 50%  
 Invitation ..... 103h.. mixed colors ..... 50%  
 Irene Bain..... 18h.. yakushmanum ..... 50%  
 Isola Bella ..... 34h.. fletcherianum ..... 50%  
 Isola Bella ..... 37h.. dauricum ..... 50%  
 Ivory Coast ..... 37h.. dauricum ..... 50%  
 Ivory Coast ..... 43h.. keiskei..... 50%

## J

J.G. Millais..... 106h.. red color..... 50%  
 Jane Martin..... 18h.. yakushmanum ..... 50%



Jean Marie De Montague .....	8h.. griffithianum .....	50%	Last Hurrah .....	17h.. catawbiense .....	50%
Jeanne Church .....	11h.. macabeanum .....	50%	Laurie .....	27h.. carolinianum .....	50%
Jericho .....	27h.. carolinianum .....	50%	Lavender Girl .....	8h.. fortunei.....	50%
Jericho .....	43h.. keiskei.....	50%	Lavender Queen.....	17h.. catawbiense .....	62.5%
Jiminy Cricket .....	15h.. euchaites .....	50%	Lavendula.....	31h.. rubiginosum .....	50%
Jiminy Cricket .....	43h.. gymnocarpum .....	50%	Leda.....	15h.. apodectum.....	50%
Jock .....	22h.. williamsianum .....	50%	Leda.....	44h.. griersonianum .....	50%
Jock .....	44h.. griersonianum .....	50%	Lee's Scarlet.....	17h.. caucasicum .....	50%
Kaka.....	44h.. griersonianum .....	50%	Lee's Scarlet.....	24h.. arboreum.....	50%
Kalimna .....	105h.. pink color .....	50%	Lem's Early Scarlet.....	14h.. strigillosum.....	50%
Kaponga .....	24h.. arboreum.....	50%	Lem's Goal .....	8h.. discolor.....	50%
Karin.....	22h.. williamsianum .....	50%	Leonardslee Giles .....	8h.. griffithianum .....	50%
Katherine Dalton.....	8h.. fortunei.....	50%	Letty Edwards .....	6h.. campylocarpum....	50%
Katherine Dalton.....	17h.. smirnowii .....	50%	Letty Edwards .....	8h.. fortunei.....	50%
Kathy Van Veen .....	8h.. griffithianum .....	50%	Lighthouse .....	24h.. arboreum.....	50%
Ken Janeck .....	18h.. yakushmanum .....	50%	Limelight.....	17h.. catawbiense .....	50%
Kewense .....	8h.. fortunei.....	50%	Lionel's Triumph .....	20h.. lacteum .....	50%
Kewense .....	8h.. griffithianum .....	50%	Lissabon .....	22h.. williamsianum .....	50%
Kewir .....	12h.. irroratum .....	50%	Little Gem .....	16h.. elliottii .....	50%
Kilimanjaro.....	16h.. elliottii .....	50%	Little White Dove .....	8h.. fortunei.....	50%
Kimberly.....	8h.. fortunei.....	50%	Little White Dove .....	18h.. yakushmanum .....	50%
Kimberly.....	22h.. williamsianum .....	50%	Loder's White .....	8h.. griffithianum .....	50%
King of Shrubs .....	8h.. discolor.....	50%	Loder's White .....	24h.. arboreum.....	50%
Kristin.....	18h.. yakushmanum .....	50%	Loderi.....	8h.. fortunei.....	50%
Kurt Adler .....	50h.. lochiaie .....	50%	Loderi (all named varieties)...	8h.. griffithianum .....	50%
Kurt Adler .....	51h.. phaeoepulum .....	50%	Lois.....	38h.. racemosum .....	50%
Labar's White.....	17h.. catawbiense .....	50%	Lois.....	45h.. pemakoense.....	50%
Lackamas Blue .....	42h.. augustinii.....	50%	Lori Eichelser.....	15h.. forrestii.....	50%
Lackamas Spice .....	8h.. chlorops .....	50%	Lovelock .....	25h.. chrysdoron .....	50%
Lackamas Spice.....	8h.. diaprepes.....	50%	Lucy Lou .....	25h.. leucaspis .....	50%
Lady Bessborough.....	6h.. campylocarpum....	50%	Luscombei.....	8h.. fortunei.....	50%
Lady Bessborough.....	8h.. discolor.....	50%	Luscombei.....	21h.. thomsonii .....	50%
Lady Bligh .....	8h.. griffithianum .....	50%	Luxor .....	17h.. catawbiense .....	50%
Lady Chamberlain.....	28h.. cinnabarinum .....	75%	Madame Fr. J. Chauvin .....	8h.. fortunei.....	50%
Lady De Rothschild .....	8h.. griffithianum .....	50%	Madame Masson .....	17h.. catawbiense .....	50%
Lady Roseberry .....	28h.. cinnabarinum .....	50%	Madame Masson .....	17h.. ponticum .....	50%
Lajka.....	17h.. smirnowii .....	50%	Madge Bramley .....	.....	50%
Lake Wissel .....	53h.. vireya hybrid .....	50%	Malta .....	37h.. mucronulatum.....	75%
Langworth .....	8h.. fortunei.....	50%	Malemute .....	105h.. pink .....	50%

Mardi Gras.....	18h.. yakushmanum .....	50%	Morgenrot.....	18h.. yakushmanum .....	50%
Margaret Dunn .....	8h.. discolor.....	50%	Moth .....	25h.. megeratum .....	50%
Margaret Mack .....	106h . red color .....	50%	Moth .....	25h.. boothii.....	50%
Mariloo .....	20h.. lacteum .....	50%	Mount Everest .....	5h.. campanulatum.....	50%
Marinus Koster.....	8h.. griffithianum .....	50%	Mount Everest .....	8h.. griffithianum .....	50%
Marion Street .....	18h.. yakushmanum .....	50%	Mount Kaindi .....	53h.. vireya hybrid .....	50%
Marka.....	8h.. decorum .....	50%	Mount Ophir .....	53h.. vireya hybrid .....	50%
Markeeta's Prize .....	8h.. griffithianum .....	62.5%	Mrs. A.C. Kenrick.....	8h.. griffithianum .....	50%
Martha Isaacson .....	110.. azaleodendron.....	50%	Mrs. A.T. De La Mare .....	8h.. fortunei.....	50%
Martha Wright.....	34h.. maddenian.....	50%	Mrs. C.S. Sargent.....	17h.. catawbiense .....	50%
Marudu Bay .....	53h.. vireya hybrid .....	50%	Mrs. E.C. Sterling .....	8h.. griffithianum .....	50%
Mary Briggs .....	15h . haematodes .....	50%	Mrs. Lamont Copeland .....	6h.. wardii.....	50%
Mary Fleming .....	43h.. keiskei.....	75%	Muncaster Mist.....	5h.. campanulatum.....	50%
Maxine Margaret.....	14h.. strigillosum.....	50%	Muncaster Mist.....	2h.. floribundum .....	50%
May Day .....	15h.. haematodes .....	50%	My Lady.....	34h.. maddenian hybrid ..	50%
May Day .....	44h.. griersonianum .....	50%	Naomi .....	8h.. fortunei.....	50%
Meadow Gold .....	34h.. maddenian.....	50%	Naomi Glow.....	8h.. fortunei.....	50%
Meadowbrook.....	17h.. catawbiense .....	50%	Neat-o .....	5h.. campanulatum.....	50%
Medusa .....	15h.. scyphocalyx .....	50%	Neat-o .....	18h.. yakushmanum .....	50%
Medusa .....	44h.. griersonianum .....	50%	Nepal .....	17h.. catawbiense .....	50%
Melba .....	105h.. pink color .....	50%	Nereid .....	15h.. dichroanthum .....	50%
Merley Cream .....	8h.. fortunei.....	50%	Nereid .....	15h.. neriiflorum .....	50%
Metternianum.....	11h.. macabeanum .....	50%	Nestucca .....	8h.. fortunei.....	50%
Mi Amor .....	34h.. lindleyi.....	50%	Nestucca .....	18h.. yakushmanum .....	50%
Mi Amor .....	34h.. nuttallii.....	50%	New Hope.....	18h.. yakushmanum .....	50%
Midnight Sky.....	.....	50%	Night Editor .....	32h.. russatum.....	50%
Milestone .....	27h.. minus.....	50%	Nile .....	6h.. wardii.....	50%
Milestone .....	37h.. dauricum .....	50%	Nile .....	17h.. catawbiense .....	50%
Minnetonka .....	17h.. ponticum .....	50%	Nobleanum .....	24h.. arboreum.....	50%
Miss Prim.....	8h.. decorum .....	50%	Nobleanum .....	17h.. caucasicum .....	50%
Miss Prim.....	12h.. irroratum .....	50%	Noble Mountain.....	18h.. yakushmanum .....	50%
Mission Bells .....	8h.. orbiculare .....	50%	Noble Pearl .....	103h . mixed colors .....	50%
Mission Bells .....	22h.. williamsianum .....	50%	Norman Gill.....	8h.. griffithianum .....	50%
Mist Maiden.....	18s.. yakushmanum .....	100%	Norman Shaw.....	8h.. discolor.....	50%
Moerheim .....	32h.. impeditum.....	50%	Noyo Brave .....	18h.. yakushmanum .....	50%
Mohamet.....	15h.. dichroanthum .....	50%	Noyo Chief.....	24h.. arboreum.....	50%
Molly Ann.....	106h.. red color .....	50%	Noyo Dream .....	18h.. yakushmanum .....	50%
Moonstone.....	6h.. campylocarpum.....	50%	Noyo Dream .....	24h.. arboreum.....	50%
Moonstone.....	22h.. williamsianum .....	50%	Nuance.....	17h.. catawbiense .....	50%

Ole Port.....	17h.. catawbiense .....	50%	Point Fosdick .....	105h.. pink color .....	50%
Ole Olson .....	8h.. discolor.....	50%	Powder Mill Run .....	18h.. yakushmanum .....	50%
Olga Mezitt .....	27h.. minus.....	50%	Powell Glass .....	17s.. catawbiense .....	100%
Olga Mezitt .....	37h.. mucronulatum.....	50%	Praecox .....	34h.. ciliatum.....	50%
Olympic Lady .....	22h.. williamsianum .....	50%	Praecox .....	37h.. dauricum .....	50%
Oreodora .....	22h.. williamsianum .....	50%	Prelude .....	6h.. wardii.....	50%
Ostbo's Red Elizabeth.....	44h.. griersonianum .....	50%	Prelude .....	8h.. fortunei.....	50%
Ostbo's Red Elizabeth.....	15h.. forrestii.....	50%	President Roosevelt.....	103h.. mixed colors .....	50%
PJM.....	27h.. carolinianum .....	50%	Pretty Baby .....	18h.. yakushmanum .....	50%
PJM.....	37h.. dauricum .....	50%	Prince Camille De Rohan ..	17h.. caucasicum .....	50%
Parker's Pink .....	8h.. fortunei.....	50%	Prince Camille De Rohan ..	24h.. arboreum.....	50%
Parson's Grandiflorum.....	17h.. catawbiense .....	50%	Promise of Spring .....	14h.. strigillosum.....	50%
Party Pink.....	17h.. catawbiense .....	50%	Ptarmigan .....	32h.. orthocladum .....	50%
Patricia .....	26h.. campylogynum .....	50%	Ptarmigan .....	25h.. leucaspis .....	50%
Patty Bee.....	34h.. fletcherianum .....	50%	Purple Gem .....	27h.. carolinianum .....	50%
Patty Bee.....	43h.. keiskei.....	50%	Purple Gem .....	32h.. fastigiatum .....	50%
Paul Lincke .....	14h.. strigillosum.....	50%	Purpleum Elegans .....	17h.. catawbiense .....	50%
Peach Lady .....	8h.. discolor.....	50%	Purpleum Elegans .....	17h.. ponticum .....	50%
Peeping Tom .....	6h.. wardii.....	50%	Quaver .....	25h.. leucaspis .....	50%
Percy Wiseman .....	18h.. yakushmanum .....	50%	Quaver .....	25h.. sulfureum .....	50%
Perry Cutten .....	24h.. arboreum.....	50%	Queen Wilhelmina.....	8h.. griffithianum .....	50%
Peter Faulk.....	14h.. strigillosum.....	50%	Rainbow .....	8h.. griffithianum .....	50%
Petra .....	53h.. vireya hybrid .....	50%	Rakuyo.....	33h.. micranthum.....	50%
Phalarope .....	43h.. davidsonianum .....	50%	Ramapo .....	27h.. carolinianum .....	50%
Phalarope .....	45h.. pemakoense.....	50%	Ramapo .....	32h.. fastigiatum .....	50%
Pikeland.....	26h.. campylogynum .....	50%	Ramona .....	15h.. neriiflorum .....	50%
Pikeland.....	43h.. keiskei.....	50%	Rangoon .....	17h.. catawbiense .....	50%
Pink Cameo .....	17h.. catawbiense .....	50%	Rebel, The.....	17h.. catawbiense .....	50%
Pink Chiffon.....	8h.. fortunei.....	50%	Red Admiral .....	21h.. thomsonii .....	50%
Pink Diamond .....	8h.. fortunei.....	50%	Red Admiral .....	24h.. arboreum.....	50%
Pink Diamond .....	8h.. griffithianum .....	50%	Red Carpet .....	15h.. forrestii.....	50%
Pink Parasol .....	18h.. yakushmanum .....	50%	Red Majesty .....	106h.. red color .....	50%
Pink Shell.....	8h.. griffithianum .....	50%	Red Paint.....	106h.. red color .....	50%
Pink Snowflakes.....	35h.. moupinense.....	50%	Red Walloper .....	8h.. griffithianum .....	50%
Pink Snowflakes.....	38h.. racemosum .....	50%	Reve Rose .....	15h.. forrestii.....	50%
Pink Twins .....	17h.. catawbiense .....	50%	Riplet.....	15h.. forrestii.....	50%
Pinnacle.....	17h.. catawbiense .....	50%	Rita Hardijzer .....	110h.. azaleodendron .....	50%
Pioneer .....	37h.. mucronulatum.....	50%	Robert Seleger .....	38h.. keleticum.....	50%
Point Defiance.....	8h.. griffithianum .....	50%	Robyn .....	105.. pink color .....	50%

Rocky White .....	8h.. fortunei.....	50%	Seta Pink .....	35h.. moupinense.....	50%
Rocky White.....	17h.. catawbiense .....	50%	Seta Pink.....	38h.. spinuliferum.....	50%
Rosamundi .....	17h.. caucasicum .....	50%	Seven Stars.....	18h.. yakushmanum .....	50%
Rose Elf.....	38h.. racemosum .....	50%	Sham's Candy .....	17h.. catawbiense .....	50%
Rose Elf.....	45h.. pemakoense.....	50%	Sham's Juliet.....	17h.. catawbiense .....	50%
Rose Lancaster.....	18h.. yakushmanum .....	50%	Shamrock .....	40h.. hanceanum.....	50%
Rosy Dream.....	18h.. yakushmanum .....	50%	Shamrock .....	43h.. keiskei.....	50%
Rothenburg .....	22h.. williamsianum .....	50%	Show Boat .....	17h.. metternichii.....	50%
Royal Flush .....	28h.. cinnabarinum.....	50%	Shrimp Girl.....	18h.. yakushmanum .....	50%
Royal Flush .....	34h.. maddenii .....	50%	Silver Ray .....	25h.. megeratum .....	50%
Royston Red .....	15h.. forrestii .....	50%	Silver Ray .....	25h.. boothii .....	50%
Royston Red .....	21h.. thomsonii .....	50%	Sikkimensis .....	21h.. thomsonii .....	50%
Rubicon .....	106.. red color.....	50%	Sikkimensis .....	24h.. arboreum.....	50%
Ruby Bowman .....	8h.. fortunei.....	50%	Singapore .....	17h.. catawbiense .....	50%
Rusautinii .....	32h.. russatum .....	50%	Sir Charles Butler .....	8s.. fortunei.....	100%
Rusautinii .....	42h.. augustinii.....	50%	Sir Charles Lemon.....	24s.. arboreum.....	100%
Russel Harmon.....	17h.. catawbiense .....	50%	Sir Robert Peel .....	17h.. ponticum .....	50%
Russel Harmon.....	17h.. maximum.....	50%	Sir Robert Peel.....	24h.. arboreum.....	50%
Ruth Davis.....	17h.. metternichii.....	50%	Sleepy .....	18h.. yakushmanum .....	50%
Ruth Davis.....	18h.. yakushmanum .....	50%	Small Wonder.....	17h.. catawbiense .....	50%
Sagamore Bayside .....	8h.. fortunei.....	50%	Sneezy .....	18h.. yakushmanum .....	50%
Samoa.....	17h.. catawbiense .....	50%	Snipe .....	45h.. pemakoense.....	50%
Sapphire.....	32h.. impeditum.....	50%	Snipe .....	43h.. davidsonianum .....	50%
Sardis .....	8h.. discolor.....	50%	Snow Cap .....	21h.. thomsonii .....	50%
Sarita Lode.....	44h.. griersonianum .....	50%	Snow Lady .....	25h.. leucaspis.....	50%
Scarlet Wonder.....	15h.. forrestii.....	50%	Snow Lady .....	34h.. ciliatum.....	50%
Schubert.....	8h.. griffithianum .....	50%	Solano .....	106h.. red color.....	50%
Scintillation.....	17h.. smirnowii .....	50%	Soulbut.....	6h.. souliei .....	50%
Seatac .....	22h.. williamsianum .....	50%	Soulbut.....	8h.. fortunei.....	50%
Sefton .....	17h.. catawbiense .....	50%	Spatter Paint .....	12s.. irroratum .....	100%
Senator H. Jackson .....	18h.. yakushmanum .....	50%	Spicil .....	38h.. spiciferum .....	50%
Senegal .....	27h.. minus.....	50%	Spirabile.....	15h.. neriiflorum .....	50%
Senegal .....	43h.. keiskei.....	50%	Spring Dawn .....	17h.. catawbiense .....	50%
Senora Meldon .....	42h.. augustinii.....	75%	Spring Frolic.....	17h.. catawbiense .....	50%
September Snow.....	29h.. edgeworthii .....	50%	Spring Frolic.....	18h.. yakushmanum .....	50%
September Snow.....	25h.. leucaspis .....	50%	Spring Glory.....	17h.. catawbiense .....	50%
Serenade .....	43h.. triflorum .....	50%	Spring Glory.....	106h.. red color.....	50%
Serendipity.....	17h.. aureum .....	50%	Standishii .....	37h.. mucronulatum.....	50%
Serendipity.....	18h.. yakushmanum .....	50%	Star Trek .....	43h.. davidsonianum .....	50%

Streatley .....	12h.. aberconwayi .....	50%	Vibrant Violet .....	32h.. lapponicum .....	50%
Streatley .....	18h.. yakushmanum .....	50%	Vibrant Violet .....	42h.. augustinii .....	50%
Sunny's Brother .....	53h.. vireya hybrid .....	50%	Vida Yellow .....	8h.. decorum .....	50%
Superlative .....	8h.. fortunei.....	50%	Virginia Scott .....	6h.. souliei .....	50%
Superlative .....	8h.. griffithianum .....	50%	Vivian Ward .....	105.. pink color .....	50%
Susan.....	5h.. campanulatum.....	50%	Wallopers.....	8h.. griffithianum .....	50%
Susan.....	8h.. fortunei.....	50%	Wallopers #10.....	8h.. griffithianum .....	50%
Swansdown .....	17s.. catawbiense .....	100%	War Paint .....	16h.. elliottii .....	50%
Tabasco .....	18h.. yakushmanum .....	50%	Wellfleet.....	8h.. decorum .....	50%
Taurus .....	14h.. strigillosum.....	50%	Wellfleet.....	8h.. fortunei.....	50%
Taylori .....	50h.. brookianum .....	50%	Wendy .....	22h.. williamsianum .....	50%
Taylori .....	51h.. phaeocephalum .....	50%	White Pearl .....	8h.. griffithianum .....	50%
Temple Belle .....	8h.. orbiculare .....	50%	White Pearl .....	17h.. maximum.....	50%
Temple Belle .....	22h.. williamsianum .....	50%	White Swan.....	8h.. decorum .....	50%
Tennessee.....	17h.. catawbiense .....	50%	Widgeon.....	27h.. carolinianum .....	50%
Tessa Bianca.....	35h.. moupinense.....	50%	Widgeon.....	38h.. calostrotum .....	50%
Thom Williams .....	22h.. williamsianum .....	50%	Wilbar .....	22h.. williamsianum .....	50%
Thor.....	15h.. haematodes .....	50%	Willbrit.....	22h.. williamsianum .....	50%
Thunder .....	27h.. carolinianum .....	50%	Wiltonbury .....	18h.. yakushmanum .....	50%
Thunder .....	17h.. caucasicum .....	50%	Winsome .....	44h.. griersonianum .....	50%
Tiana.....	18h.. yakushmanum .....	50%	Wren .....	34h.. fletcherianum .....	50%
Tiffany .....	43h.. keiskei.....	50%	Wren .....	45h.. ludlowii .....	50%
Too Bee .....	26h.. campylogynum .....	50%	Wyandanch Pink.....	8h.. fortunei.....	50%
Too Bee .....	43h.. keiskei.....	50%	Yaku Angel.....	18h.. yakushmanum .....	50%
Towhead.....	27h.. minus.....	50%	Yaku Duchess.....	18h.. yakushmanum .....	50%
Towhead.....	45h.. ludlowii .....	50%	Yaku Duke.....	18h.. yakushmanum .....	50%
Trewithen Orange.....	28h.. concatenans.....	50%	Yaku King.....	18h.. yakushmanum .....	50%
Tumalo .....	8h.. decorum .....	50%	Yaku Mist.....	18h.. yakushmanum .....	50%
Tuscany .....	17h.. catawbiense .....	50%	Yaku Picotee.....	18h.. yakushmanum .....	50%
Twinkles .....	38h.. racemosum .....	50%	Yaku Prince.....	18h.. yakushmanum .....	50%
Twinkles .....	38h.. spiciferum .....	50%	Yaku Princess.....	18h.. yakushmanum .....	50%
Umpqua Chief.....	44h.. griersonianum .....	50%	Yaku Queen.....	18h.. yakushmanum .....	50%
Unique.....	6h.. campylocarpum .....	50%	Yaku Sunrise .....	18h.. yakushmanum .....	50%
Unknown Warrior.....	106h.. red color .....	50%	Yellow Hammer .....	25h.. sulfureum .....	50%
Van Nes Sensation .....	8h.. fortunei.....	50%	Yellow Hammer .....	32h.. flavidum .....	50%
Vanessa.....	44h.. griersonianum .....	50%	Yellow Saucer .....	12h.. aberconwayi .....	50%
Veesprite .....	32h.. lapponicum .....	50%			